May 12, 2003

Dear Ms. Chang,

Attached please find the results of your Fast & Focused search request for application #09/224,376. I searched Dialog's foreign patent files and technical databases.

Please let me know if you have any questions.

Regards,

Geoffrey St Leger 4B30/308-7800

L Number	Hits	Search Text	DB	Time stamp
9	4	5938732.uref. and (beat\$5 heartbeat\$5	USPAT	2003/05/14 14:01
-		ping)		
10	198	(link-beat\$5 heartbeat\$5 ping) with	USPAT	2003/05/14 16:13
		(modify\$6 chang\$6) with rate\$5		
11	1	5938732.pn. and (avail\$6 presen\$6)	USPAT	2003/05/14 14:01
12	1	5938732.pn. and (avail\$6 alive\$ presen\$6)	USPAT	2003/05/14 14:41
13	1	5938732.pn. and (fail\$6 releas\$6)	USPAT	2003/05/14 15:05
14	0	5938732.pn. and (quer\$5)	USPAT	2003/05/14 15:19
15	1	5938732.pn. and (add\$6 same acquir\$6)	USPAT	2003/05/14 15:20
16	0	5938732.pn. and ((adds adding add) same	USPAT	2003/05/14 15:20
		acquir\$6)		, ,
17	1	5938732.pn. and ((adds adding add new)	USPAT	2003/05/14 15:24
		same acquir\$6)		
18		5938732.pn. and (recover\$6)	USPAT	2003/05/14 15:26
19	1	5938732.pn. and (reassign\$6)	USPAT	2003/05/14 15:31
20	1	5938732.pn. and (primary (name\$3 near	USPAT	2003/05/14 15:32
	_	server\$5))	II CDN III	2002/05/14 15:32
21	1	5938732.pn. and (zone\$3)	USPAT	2003/05/14 15:32
22	9	((link-beat\$5 heartbeat\$5 ping) with	USPAT	2003/05/14 17:01
		(modify\$6 chang\$6) with rate\$5) and $(7$/$$		
0.5	_	370/\$).ccls.	II CDAT	2003/05/14 17:01
26	1	6370656.pn. ("6324580").PN.	USPAT USPAT	2003/05/14 17:01
27	1 1	("6324580").PN. 1'2'tp with (network adj layer\$3)	USPAT	2003/05/14 17:29
_	5		USPAT	2003/05/12 12:13
-	69	ip near tunneling (("6496491") or ("5878040")).PN.	USPAT	2003/05/12 11:20
-	9	(("6496491") or ("5676040")).FN. (network adj layer\$3) with tunnel\$6 with	USPAT	2003/05/12 12:13
-		(network adj layer\$3) with tunner\$0 with	301111	
_	47	mobile\$5 with ip with tunnel\$6	USPAT	2003/05/12 12:39
_	7835	rs adj '232'	USPAT	2003/05/12 12:41
_	166	(rs adj '232') and tunnel\$6 ,	USPAT	2003/05/12 14:06
_	8	"295475"	USPAT; EPO	
_	1	("5600797").PN.	USPAT	2003/05/12 14:10
_	8	5600797.uref.	USPAT	2003/05/12 14:36
_	180	topology and heartbeat\$5	USPAT	2003/05/13 14:13
_	6	(("6393485") or ("6272139") or ("6115753")	USPAT	2003/05/13 14:41
		or ("6112249") or ("6111881") or		
		("5898827")).PN.		
_	52	feit.in.	USPAT	2003/05/13 14:41
_	0	feit.in. and heatbeat\$5	USPAT	2003/05/13 14:42
-	3	6178439.uref.	USPAT	2003/05/13 14:42
_	1	("6178439").PN.	USPAT	2003/05/13 14:43
-	5	heartbeat\$6 with (point-to-point unicast\$3	USPAT	2003/05/13 14:54
		ppp)		0000/05/10 14 57
-	1	("5600797").PN.	USPAT	2003/05/13 14:57
-	1	"7325773"	USPAT;	2003/05/13 15:00
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
		"6222056"	USPAT;	2003/05/13 15:02
-	6	"6222956"	US-PGPUB;	2003,03,13 13.02
	1		EPO; JPO;	
	1		DERWENT;	
			IBM TDB	
_	2	("5894547").PN.	USPAT;	2003/05/13 15:03
		(505.047 / 1.1.11	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	2	"9826553"	USPAT;	2003/05/13 15:07
	_		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	,
-	2	("6347339").PN.	USPAT;	2003/05/13 15:09
	1		US-PGPUB;	
			EPO; JPO;	
	l		DERWENT;	
			IBM TDB	1

_	2	("6205498").PN.	USPAT;	2003/05/13 15:12
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
l_	1	("0676496").PN.	USPAT;	2003/05/13 15:14
	1	(00/0130 / 12	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	1	("0248508").PN.	USPAT;	2003/05/13 15:14
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		HO40500H	IBM_TDB USPAT;	2003/05/13 15:17
-	27	"248508"	US-PGPUB;	2003/03/13 13.17
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	13	"676496"	USPĀT;	2003/05/13 15:22
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/05/10 15 05
-	4838	(ping (control near messag\$6) heartbeat\$5)	USPAT;	2003/05/13 15:26
		same (status state)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
1_	3846	 (ping (control near messag\$6) heartbeat\$5)	USPAT;	2003/05/13 15:27
	3040	same (status state)	EPO; JPO;	
		- Carret - C	DERWENT;	
			IBM TDB	
-	47	((ping (control near messag\$6)	USPĀT;	2003/05/13 15:28
		heartbeat\$5) same (status state)) same	EPO; JPO;	
		(cluster\$5)	DERWENT;	
		(1)	IBM_TDB	2002/05/12 15:46
-	80	((ping (control near messag\$6) heartbeat\$5) same (status state)) same	USPAT; EPO; JPO;	2003/05/13 15:46
		neartbeat\$5) same (status state)) same (cluster\$5 topology)	DERWENT;	
		 (cingraid, cobolod)	IBM TDB	
_	21	(dns (domain adj name\$5 adj (system\$3	USPAT;	2003/05/13 15:47
		server\$5))) same (heartbeat\$6 ping)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/07/70 17
-	40	(ping heartbeat\$5) same (point-to-point	USPAT;	2003/05/13 16:44
		unicast\$3 one-to-one)	EPO; JPO;	
			DERWENT;	·
_	44	 (ping heartbeat\$5) same (point-to-point	IBM_TDB USPAT;	2003/05/13 17:30
-	44	ppp unicast\$3 one-to-one)	EPO; JPO;	2003,03,13 17.30
	[ppp anioustys one to one;	DERWENT;	
			IBM TDB	
-	1	6427163.pn. and (availab\$6 unavail\$6)	USPAT;	2003/05/13 17:15
		-	EPO; JPO;	
-	[DERWENT;	
1]		IBM_TDB	0000/07/10 1= 1
-	1	_	USPAT;	2003/05/13 17:16
		message\$5))	EPO; JPO;	
1]		DERWENT; IBM TDB	
1_	2	6427163.pn. and (heartbeat\$5 (control	USPAT;	2003/05/13 17:27
		neart message\$5))	EPO; JPO;	-555,55,15 17.27
	[10020 11000009070//	DERWENT;	
1			IBM TDB	
l -	1	("5600797").PN.	USPAT	2003/05/13 17:22
-	17	(heartbeat\$5 ping) with (unavailab\$6)	USPAT;	2003/05/13 17:23
1			EPO; JPO;	
	[DERWENT;	
L	J		IBM TDB	

				· · · · · · · · · · · · · · · · · · ·
-	1	6427163.pn. and (point-to-point unicast\$3	USPAT;	2003/05/13 17:29
		ppp)	EPO; JPO;	
			DERWENT;	1
			IBM TDB	
_	1	6381218.pn. and (point-to-point unicast\$3	USPAT;	2003/05/13 17:29
		ppp)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	112	(ping heartbeat\$5 beat\$5 link-beat\$6)	USPAT;	2003/05/13 17:34
		same (point-to-point ppp unicast\$3	EPO; JPO;	
		one-to-one)	DERWENT;	
		0.00 00 0.007	IBM TDB	1
_	1	("5938732").PN.	USPAT	2003/05/13 17:35
	2		USPAT;	2003/05/13 17:35
_	-	(3330732 711111	US-PGPUB;	1
			EPO; JPO;	
			DERWENT;	
			IBM TDB	1
,	,	6427163.pn. and (status state)	USPAT	2003/05/14 17:29
_		("5938732" "6427163").pn. and (status	USPAT	2003/05/13 17:44
_		(~5938732	OSLAI	2003/03/13 17.44
	2	· · · · · · · · · · · · · · · · · · ·	USPAT	2003/05/13 17:53
_		, 	USFAI	2003/03/13 17.33
	40	(heartbeat\$6)	USPAT	2003/05/13 18:01
_	42	1	USPAI	2003/03/13 18:01
	1.50	transmit\$6)	II CDAM	2002/05/12 10:02
-	169	1 • •	USPAT	2003/05/13 18:03
-	3	point-to-point with (privat\$6 adj	USPAT	2003/05/14 11:21
	l	communication\$5)	l	

Sponsored L

Sponsored L



Advand

Search Preferences Language Tools

earch Tips

ping point-to-point monitor connectic

Google Search

Web - Images - Groups - Directory - News -

Searched the web for ping point-to-point monitor connection session link. Results 1 - 10 of about 7,900. Search took 0.23

Choose The Best Point-To-Point Service For Your Business Needs!

www.T1Anywhere.com Fill-out our short form: Get quotes from the leading providers

Advanced Host Monitor

Award-winning tool to monitor network resources. www.ks-soft.net

MikroTik RouterOS Point to Point Tunnel Protocol (PPTP)

... example below on more information how to monitor the PPTP ... This tunnel is like an Ethernet

point-to-point connection between the ... RemoteOffice]> /ping 10.0.103.1 ... www.mikrotik.com/Documentation/ manual_2.5/Interface/PPTP.html - 26k - Cached - Similar pages

The Linux Network Sharing A Dial-Up Connection To The Internet - We're using a PPP (Point-To-Point Protocol) dial-up connection. ... if you connect to XYZ ISP, try to ping www.xyz ... Using the Red Hat Network Monitor is a good way ... www.smartcomputing.com/editcat/SMART/ OPERATING+SYSTEMS/400/14887/ - Similar pages

Windows NT Networking: A Collection of Topics

... Figure 4 shows the Point-to-Point Protocol (PPP) negotiation between RAS ... the four echos you see from ping on the ... for capturing and viewing Network Monitor files ... www.windowsitlibrary.com/Content/172/01/29.html - 42k - Cached - Similar pages

15 Tips for Troubleshooting VPN Connections

... If the server responds by address, ping it by ... client and the server for unicast (point-topoint)

traffic ... filtering with the Microsoft Network Monitor or similar ...

www.winnetmag.com/Articles/Index.cfm?ArticleID=8290 - 35k - Cached - Similar pages

PVCs and SVCs Troubleshooting IP over ATM PVC Connectivity - and IP address that you are trying to ping. interface ATM2/IMA0.294 point-to-point ip address 10.144.152.1 ... to the router by using the terminal monitor command. ... www.cisco.com/en/US/tech/tk39/tk48/ technologies_tech_note09186a008009465e.shtml - 57k - Cached - Similar pages

docs.sun.com: TCP/IP and Data Communications Administration Guide ... of the output Using device ipdptp0 indicates a point-to-point connection. ... on the host you want to monitor as follows: ... example, if you tried to ping the remote ... docs.sun.com/db/doc/802-5753/6i9g71m4l?a=view - 39k - Cached - Similar pages

Internetworking ISO Layers and Protocols

... them with a spreadsheet program, use Performance Monitor. ... an Echo reply (The default ping packet-size is ... Circuits (ASICs) to route Point to Point to individual ... www.wilsonmar.com/1isotp.htm - 70k - Cached - Similar pages

[PDF]CISCO NETWORKING ACADEMY PROGRAM CURRICULUM SCOPE & SEQUENCE ...

File Format: PDF/Adobe Acrobat - View as HTML

... The resolution of point-to-point and multipoint ... the Network * Why is it necessary to monitor a network? ... IP connectivity * How and when to use PING to test ... www.bdeb.gc.ca/cours programmes/ fcso/ntwrking acad sem 4v21.pdf - Similar pages Sponsored Links

Point-To-Point

More than 2 dozen Great providers Wide Area Network Brokers www.pathfinderbandwidth.com Interest: =

VisualPulse monitoring

Network availability monitor Ping, TCP, and HTTP reporting www.visualware.com Interest: =

Network Monitor

Easy to use, with web interface. Connection quality graphs and more! www.PowerNOC.net Interest:

Network Service Monitor

Internet Services Network App. Server, PC, Router, Switches etc. www.javvin.com Interest:

T1 Point-to-Point: \$495

Nationwide Coverage! 1 Year Term Fast Provisioning Tier 1 Carriers www.globalinternetworking.co

See your message here...

Google Search: ping point-to-point monitor connection session link

Monitoring / Alert Utilities

... handy IP package tools: graphical **ping**, traceroute, bandwidth ... is also able to **monitor** the status ... network configuration problems and **point-to-point** tests will ... www.netwarefiles.com/monitor.htm - 64k - <u>Cached</u> - <u>Similar pages</u>

NMS Glossary: P

... ping. ... The Point-to-Point Switching service server process (ppxserv). This server maintains an internal connection database to monitor timeslot availability and ... www.nmscommunications.com/manuals/ glossary/letter_p.html - 23k - Cached - Similar pages

Goooooooogle >

Result Page: 1 2 3 4 5 6 7 8 9 10 Next

ping point-to-point monitor connection

Google Search

Search within results

Dissatisfied with your search results? Help us improve.

Google Home - Advertise with Us - Business Solutions - Services & Tools - Jobs, Press, & Help

©2003 Google



Advances Search Preferences Language Tools

Google Search

transmit send heartbeat message dil

"to" is a very common word and was not included in your search. [details]

Web Images Groups Directory News

Searched the web for transmit send heartbeat message directly point to point. Results 11 - 20 of about 3,400. Search too

Choose The Best Point-To-Point Service For Your Business Needs! Fill-out our short form: Get quotes from the leading providers www.T1Anywhere.com

Sponsored L

Shailesh Govekar's Network Glossary

... device to allow a high-speed source to transmit data at ... Also known as "heartbeat" in Ethernet. ... SSCPs can send requests to, and receive replies from, individual ... www.geocities.com/ResearchTriangle/Lab/6601/s.html - 25k - Cached - Similar pages

Sponsored Links

T1 Point-to-Point: \$495 Nationwide Coverage! 1 Year Term

Fast Provisioning Tier 1 Carriers www.globalinternetworking.co Interest: =

See your message here...

Protocol Sketch

... The heartbeat interval is reset to a minimum value ... is filling and the sender should send a synchronism ... again, to the responsible sender to transmit urgently a ... iungla.dit.upm.es/~ecastro/ReliableMulticast/ protocolDesc.html - 11k - Cached - Similar pages

File Format: Microsoft Word 2000 - View as HTML

... If you see errors like UV1_SendTrap: Sendto failed, unable to send trap. ... SDL Initialization complete. Awaiting first heartbeat msg. ... Transmit Status available. ... www.bentlevtelecom.co.uk/support/ Startrio/instructions/idu.doc - Similar pages

Distributed Simulation- Concepts

... UDP is most often used to transmit entity updates ... If a host were to send the following series of ... solution to this dilemma is a heartbeat message, also commonly ... www.cecs.csulb.edu/~sohl/distributedsim/ dissim/dissim-body.html - 29k - Cached - Similar pages

[PDF] The Message Bus: A Platform for Component-based Conferencing ...

File Format: PDF/Adobe Acrobat - View as HTML

... Floor control: who may transmit at a ... the self-announcement messages that all entities send periodically ... The rate at which these periodic heartbeat messages are ... csperkins.org/publications/cbg2000.pdf - Similar pages

Broadcasting Messages

... to update user displays would send a registration ... Default Default Heartbeat * Transmit SILO Receive ... Poll * MOT (in MABs) (in MABs) Heartbeat Interval Interval ... edocs.bea.com/tuxedo/msgq/prog/ch3.htm - 56k - Cached - Similar pages

IPDFIVisitor and Community Network Access Point Service Manual Release ...

File Format: PDF/Adobe Acrobat - View as HTML

... to the VCN AP, a person can send data from ... VCN Access Point Features 13 and data to the SuperStack ... AP is connected to the Ethernet switch directly through the ... support.3com.com/infodeli/tools/vcn/vcn_ap/ap_serv.pdf - Similar pages

[PDF] Message Passing Up to now the concurrent programming constructs (...

File Format: PDF/Adobe Acrobat - View as HTML

... perform one more iteration of the heartbeat algorithm to transmit any new ... page 78 All heartbeat algorithms have the same basic structure; send messages to ... www.redbrick.dcu.ie/~foo/Concurrent/notes3.pdf - Similar pages

[PDF]Microsoft PowerPoint - SCNVELecture3

File Format: PDF/Adobe Acrobat - View as HTML

...'slowly changing entities to eliminate the heartbeat messages of ... all hosts on the network To send a broadcast ... Which protocol should I use to transmit this piece ...

http://www.google.com/se.rch.q.tr.nsmit+sen.+he.rt.e.t+mess.ge+_irectly+point+to-_ | 5/ /

Google Search: transmit send heartbeat message directly point to point staff.cs.utu.fi/kurssit/scnve/spring_2002/ SenVELecture3_1.pdf - Similar pages

грепSecure Multicast

File Format: Microsoft Powerpoint 97 - <u>View as HTML</u> ... ourselves that all legitimate members are able to **transmit** and receive ... HB:X = **Heartbeat** RK:X = Rekey. ... Receiver would **send** a Core Request, its CERTR and a random ... www.cs.buffalo.edu/~qiao/cse620/present_2000/ secure_multicast_97_color.ppt - <u>Similar pages</u>

◆ Gooooooooogle ▶

Result Page: **Previous 1 2 3 4 5 6 7 8 9 1011 Next**

transmit send heartbeat message dij Google Search Search within results

Google Home - Advertise with Us - Business Solutions - Services & Tools - Jobs, Press, & Help
©2003 Google